

# **N86**

### **Next Generation Smart POS Terminal**

Impeccable quality and appearance make N86 irresistible. It delivers strong performance through the operation system powered by Android 9.0 and a quad-core 1.4 GHz high-speed processor. The innovative design combines the arts and advanced protection technology. And N86 is power-efficient, standby time is up to 240 hours.

#### **Features**

- Outstanding Performance Android 9.0 & Quad-Core Processor
- Robust and Artistic Design
- Power-Efficient 240+ Hours Standby











High-Pressure Printing

58 mm

## **N86** Smart POS Terminal









Contactless/NFC

Magstripe Cards

IC Cards

1D&2D Codes

## **Specifications**

Operating System Powered by Android 9.0	<b>Display</b> 5.0" HD (1280 x 720) Color Screen, Capacitive Touchscreen, Multi-Touch	<b>Location</b> GPS, GLONASS or BeiDou
Processor Quad-Core 1.4GHz Processor Security Chip	Printer High Speed Thermal Printer, Paper Roll Width: 58mm, Diameter: 40mm	<b>Keys</b> 1 Power Key, 2 Volume Keys
Memory  1GB RAM + 8GB Flash  2GB RAM + 16GB Flash (Optional)  (Micro SD Card Supported, up to 128GB)	Peripheral Port  1 x Type-C OTG, 1 x SD3.0;  1 x SIM + 2 x SAM,  Or 2 x SIM+1 x SAM (Optional)	Physical 194mm L x 80mm W x 68.8mm H 420g (Battery Included)
Camera  Rear Camera: 2 MP, FF  5 MP, AF with Flash(Optional)  Front Camera: 2 MP, FF(Optional)	Communication 4G/3G/2G Wi-Fi, 802.11b/g/n, 2.4GHz, BT4.2	Adaptor Type C 5V/2A
Pattery 7.4V/2600mAh Equals to 3.7V/5200mAh 7.2V/3300mAh Equals to 3.6V/6600mAh(Optional)	Environmental Operating Temperature : 0°C to 50°C Storage Temperature : -20°C to 60°C Shockproof:1.5m	Accessories Wristband Docking Station Multi-function Base Fingerprint Module (Built-in) Scanning Module (Built-in)
Audio Built-in Speaker	Card Readers  Magstripe Cards: Track 1/2/3, Bi-Directional, ISO7811  Smart Cards: EMV, PBOC Approved Contactless Cards: 13.56MHz, ISO14443, Type A/B, QPBOC Approved	Certifications  CCC, CE, ATEX, IP54;  EMV3.0, L1&L2, PBOC/QPBOC,  Paypass, Paywave, JCB, AMEX,  Discover, TQM;  PCI6.X, UPTS 3.0;  Common.SECC
PIN Pad Software PIN Pad		
MTTF > 50000 Hours		