

NEXGO AF910

Version 2.1 Issued May 2022

[NEXGOGLOBAL.COM](https://nexusglobal.com)

© 2022 NEXGO | The information contained in this document is subject to change without notice. All pictures shown are for illustration purpose only, actual product and software may vary. NEXGO and the NEXGO logo are either trademarks or registered trademarks of NEXGO in the China and/or other countries. All other trademarks or brand names are the properties of their respective holders.





AF910 Kiosk

**An automated self-service
check-out solution**

AF910 provides a self-service check-out solution which reduces labor costs and increases operating efficiency. It is for payments of facial recognition, bar codes and QR codes. High-tech structured-light 3D camera supports facial recognition that helps to protect consumers' property. AF910 can be widely used in retail, food, smart city.

Big Screen

Clear and easy operation

Facial

Recognition, Built-in 3D
Structured Light Module


Scenarios

Supermarkets, Fast-Food Stores,
Government Organizations, etc.

Big Screen for Easy operation

Clearer and easier operation to adapt different
business scenarios.

| 21.5" 1920*1080



Excellent Performance

CPU:

Quad-Core ARM 2.0GHz

Memory space:

4GB RAM + 64GB ROM

Micro SD Card Supported(Up to 128GB)

Display

Main: 21.5" 1920*1080 capacitive touch screen

Bigger display & touch screen

Barcode Scanner

Support 1D&2D

mobile screen and printed barcodes

Professional scanner





All-in-one Payment

AF910 accepts payments of facial recognition, QR codes, contactless/NFC, smart cards, and magstripe cards.





Facial Recognition

AF910 adopts the high-tech structured-light 3D camera supports facial recognition that helps to protect consumers' property.

Professional Scanner


AF910 accepts payments of 1D&2D codes. User experience will be enhanced by its all-in-one solution.




Bar Codes and QR Codes

Excellent Printing Efficiency

With a print speed up to 250mm/s, the embedded auto cutter of AF910 helps improve printing efficiency and reduce manual operation.



Fit in Various Scenarios



Specification for AF910

| | | | |
|---|---|--|---|
| Processor Quad-Core ARM Cortex-A55 2.0GHz | Operating System Android 11.X | Adapter Input:110-240V Output:24V 4.2A | Environmental Operating Temperature: -10°C to 50°C Storage Temperature: -20°C to 60°C Relative Humidity: 30% to 95% |
| Memory 4GB RAM + 64GB ROM Micro SD Card Supported(Up to 128GB) | Communication Ethernet 100M WiFi 802.11b/g/n 2.4G Bluetooth 4.2 | Barcode Scanner Support 1D&2D mobile screen and printed barcodes | Certification CE,3C |
| Display 21.5" 1920*1080 capacitive touch screen | Printer Print Width: 80mm Paper Diameter: 80mm High Speed Thermal Printer Support Automatic Cutter | Peripheral Ports 4 x TYPE-A USB 1 x Micro USB 1 x RJ45, 1 x RJ12, 1 x RJ11, 1 x SD Card 1 x DC | Functional Module POS terminal (Android/Linux) Supported (Optional) |
| Camera Monocular 5MP Structured-light 3D camera (Optional) | Size 805.5*348*100mm Bracket size: 1106*625*500mm(Optional) | Audio Speaker 3W | Button 1 x Power Button |

THANK YOU!

NEXGOGLOBAL.COM

© 2022 NEXGO

